

Data Sheet for Article: BK003504--

Sheet steel door for BK003524, 4-rows




Technical Data

Net width (mm)	283,00
Net height (mm)	618,00
Netto depth (mm)	12,00
Net weight (kg)	1,65
EAN	9004840970319
Door material	Sheet steel
Halogen-free	Yes
Version	accessories
Colour	RAL 9010

Datei Tabelle: Sheet steel door for BK003524, 4-rows

Article number	A[mm]	B[mm]	C[mm]	D[mm]	E[mm]	Rows	MW	N-terminal[mm ²]	PE-terminal[mm ²]	Radiant power loss[W]*
BK003521	251	310	96	-	-	1	12+2	2x10	2x10	-22
BK003522	377	310	96	-	-	2	24+4	2x13	2x13	-26
BK003523	502	310	96	-	-	3	36+6	2x15	2x15	-30
BK003524	650	310	96	-	-	4	48+8	2x20	2x20	-36
BK003501	-	-	-	224	283	-	-	-	-	-
BK003502	-	-	-	350	283	-	-	-	-	-
BK003503	-	-	-	490	283	-	-	-	-	-
BK003504	-	-	-	618	283	-	-	-	-	-

Dimensioned drawing: Sheet steel door for BK003524, 4-rows



Article Table

DESCRIPTION	Order No.
Sheet steel door for BK003524, 4-rows	BK003504
Optional Accessories	
Wall-mounting distribution board, 4-row - 48MW, without door IP40, Protectionclass II, 24+4MW, RAL 9003, H=650, W=310, D=96mm	BK003524