

Data Sheet for Article: BK0852032F

Plastic frame for BK085, 3-rows, IP40, transparent door

for wall boxes 3-row BK0850032A (solid wall) and BK0850532A (partition wall), insert and screw terminals included, ABS, halogen free, protection class II, frame color RAL 9003



SCHRACK-Info

- 1- to 4-row frames with transparent plastic door
- Series BK085
- DIN-rails and module cover included
- For completion, one wall box is necessary:
 - 1- to 4-row for solid wall or partition wall
- Material Frame + Door: 1mm ABS
- Protection class: II
- Degree of protection: IP40
- Impact resistance: IK07
- Frame: RAL 9003 (Signal white)
- Door: Transparent




Technical Data

Technical Data - continued

Net width (mm)	346,00
Net height (mm)	592,00
Netto depth (mm)	36,00
Net weight (kg)	2,00
EAN	9004840890068
Power loss (W)	-44,00
Min. ambient temperature (°C)	-25
Max. ambient temperature (°C)	60
Halogen-free	Yes
IP Rating	IP40
Protection class	2
Impact Resistance	IK07

Dimensions Frame with Plastic Door Transparent



DESCRIPTION	Order No.
Plastic frame for BK085, 3-rows, IP40, transparent door for wall boxes 3-row BK0850032A (solid wall) and BK0850532A (partition wall), insert and screw terminals included, ABS, halogen free, protection class II, frame color RAL 9003	BK0852032F