

Data Sheet for Article: DTRT4285--

# Double wing metal door perforated 80% S-RACK 42U W800 RAL7035

incl. hinges and screws



## SCHRACK-Info

Doors DTRT are designed for installation on SCHRACK data freestanding enclosures of the S-RACK series.

Either in place of the standard glass door at the front or as a replacement for the rear panel.

Rear door allows easier and faster access to the back side of the built-in components in case of maintenance, repair or replacement of installed components.

Enclosures without door are available as an option.



## Technical Data

|                               |               |
|-------------------------------|---------------|
| Net width (mm)                | 360,00        |
| Net height (mm)               | 2.000,00      |
| Netto depth (mm)              | 55,00         |
| Net weight (kg)               | 11,20         |
| EAN                           | 9004840868753 |
| Min. ambient temperature (°C) | 5             |
| Max. ambient temperature (°C) | 40            |
| HU                            | 42            |

## Technical Data - continued

|        |                       |
|--------|-----------------------|
| Colour | RAL 7035 (Light grey) |
| Series | S-RACK                |

| DESCRIPTION                                                                              | Order No. |
|------------------------------------------------------------------------------------------|-----------|
| Double wing metal door perforated 80% S-RACK 42U W800 RAL7035<br>incl. hinges and screws | DTRT4285  |