


Data Sheet for Article: EV111052--

# Pin socket outlet, safety shutter, screw clamps, anthracite

safety shutter, Rated current 16A, Connection type Screw clamps, Anthracite



## Schrack-Info

Simple socket outlet with earthing contact consisting of a metal support frame (hot-dip galvanised steel) and a plastic cover made of ABS. Milled grooves for exact horizontal or vertical joining of several switch or Schuko inserts.




## Technical Data

|                          |                   |
|--------------------------|-------------------|
| Net length (mm)          | 70,00             |
| Net width (mm)           | 70,00             |
| Net height (mm)          | 40,00             |
| Net weight (kg)          | 0,07              |
| Series                   | 03-VISIO 50       |
| Product type             | Shockproof socket |
| Operating voltage AC (V) | 230               |
| Rated current (A)        | 16                |
| mounting                 | Screws and claws  |
| Mounting method          | Flush-mounted     |

## Technical Data - continued

|                             |                                                       |
|-----------------------------|-------------------------------------------------------|
| IP Rating                   | IP20                                                  |
| Colour                      | Anthracite                                            |
| Connection type             | Screw clamps                                          |
| Connection clamps           | according to EN 60669-1                               |
| Allowed cables              | Flexible                                              |
| Allowed cross-section (mm²) | 1,5 und 2,5                                           |
| Material                    | ABS<br>Brass<br>Galvanized steel<br>Plastic<br>Copper |
| Environment                 | Halogen free                                          |
| Sustainability              | ROHS                                                  |
| test mark                   | VDE                                                   |
| Dimensions (mm)             | 70x70x40                                              |
| Mounting depth (mm)         | 30                                                    |

## Abmessungen (mm)



| DESCRIPTION                                                                                                                                | Order No. |
|--------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Pin socket outlet, safety shutter, screw clamps, anthracite<br>safety shutter, Rated current 16A, Connection type Screw clamps, Anthracite | EV111052  |