


Data Sheet for Article: EV111301--

Socket outlet, cage clamps, anthracite

VISIO S 55 (55x55), Rated current 16A, Connection type Plug-in terminal, Anthracite



Technical Data

Net length (mm)	70,00
Net width (mm)	70,00
Net height (mm)	41,00
Net weight (kg)	0,07
Series	01-VISIO S 55
Design	CUBIC
Product type	Shockproof socket
Operating voltage AC (V)	230
Rated current (A)	16
mounting	Screws and claws
Mounting method	Flush-mounted
IP Rating	IP20
Colour	Anthracite
Connection type	Plug-in terminal
Connection clamps	according to EN 60884-1
Allowed cables	Stiff
Allowed cross-section (mm²)	1,5 und 2,5

Technical Data - continued

Material	ABS
	Brass
	Galvanized steel
	Plastic
	Copper
Environment	Halogen free
Sustainability	ROHS
test mark	VDE
Dimensions (mm)	70x70x40
Mounting Depth mm (mm)	30

Article Table

DESCRIPTION	Order No.
Socket outlet, cage clamps, anthracite	EV111301
VISIO S 55 (55x55), Rated current 16A, Connection type Plug-in terminal, Anthracite	
Optional Accessories	
One gang frame, Design CUBIC, anthracite	EV115301
VISIO S 55 (55x55), ABS, ROHS, Anthracite	
Two gang frame, Design CUBIC, anthracite	EV115302
VISIO S 55 (55x55), ABS, ROHS, Anthracite	
Three gang frame, Design CUBIC, anthracite	EV115303
VISIO S 55 (55x55), ABS, ROHS, Anthracite	
Four gang frame, Design CUBIC, anthracite	EV115304
VISIO S 55 (55x55), ABS, ROHS, Anthracite	
Five gang frame, Design CUBIC, anthracite	EV115305
VISIO S 55 (55x55), ABS, ROHS, Anthracite	