


Data Sheet for Article: EV112210--

Rocker S 50, transparent control window, symbol bell, anthrac

VISIO S 50 (50x50), ABS, ROHS, Anthracite



Technical Data

Net length (mm)	50,00
Net width (mm)	50,00
Net height (mm)	7,00
Net weight (kg)	0,01
Series	02-VISIO S 50
Design	CLASSIC
Product typ	Rocker
Mounting method	By pinning
IP Rating	IP20
Colour	Anthracite
Material	ABS
Environment	Halogen free
Sustainability	ROHS
Dimensions (mm)	50x50x20

Article Table

DESCRIPTION	Order No.
Rocker S 50, transparent control window, symbol bell, anthrac	EV112210
VISIO S 50 (50x50), ABS, ROHS, Anthracite	
Optional Accessories	
Two-way switch insert, illuminated, cage clamps	EV100113
VISIO S 55 (55x55) / VISIO S 50 (50x50), Rated current 10 (ohmic, inductive)A, Connection type Plug-in terminal	
One-gang push button insert illuminated, 1 NO, cage clamps	EV100121
VISIO S 55 (55x55) / VISIO S 50 (50x50), Rated current 10 (ohmic, inductive)A, Connection type Plug-in terminal	
Two-way switch insert with control light, cage clamps	EV100115
VISIO S 55 (55x55) / VISIO S 50 (50x50), Rated current 10 (ohmic, inductive)A, Connection type Plug-in terminal	
One-way switch insert with control light, cage clamps	EV100103
VISIO S 55 (55x55) / VISIO S 50 (50x50), Rated current 10 (ohmic, inductive)A, Connection type Plug-in terminal	
One-way switch insert, 2 pole, control light, screw clamps	EV100108
VISIO S 55 (55x55) / VISIO S 50 (50x50), Rated current 10 (ohmic, inductive)A, Connection type Screw clamps	
One-gang push button insert illuminated between L-L1, NO	EV100130
VISIO S 55 (55x55) / VISIO S 50 (50x50), suitable for cross connection, Rated current 10 (ohmic, inductive)A, Connection type Plug-in terminal	
One gang frame, Design CLASSIC, anthracite	EV115001
VISIO S 50 (50x50); VISIO 50, ABS, ROHS, Anthracite	
Two gang frame, Design CLASSIC, anthracite	EV115002
VISIO S 50 (50x50); VISIO 50, ABS, ROHS, Anthracite	