

Data Sheet for Article: EV121361--

Pin compact socket outlet 2x2P+E, screw clamps, silver

VISIO S 55 (55x55), Rated current 16A, Connection type Screw clamps, Silver



Technical Data

Net length (mm)	70,00
Net width (mm)	70,00
Net height (mm)	41,00
Net weight (kg)	0,08
Series	01-VISIO S 55
Design	CUBIC
Product type	Shockproof socket
Operating voltage AC (V)	230
Rated current (A)	16
mounting	Screws and claws
Mounting method	Flush-mounted
IP Rating	IP20
Colour	Silver
Connection type	Screw clamps
Connection clamps	according to EN 60884-1
Allowed cables	Flexible
Allowed cross-section (mm²)	1,5 und 2,5

Technical Data - continued

Material	ABS
	Brass
	Galvanized steel
	Plastic
	Copper
Environment	Halogen free
Sustainability	ROHS
Dimensions (mm)	125x85x50
Mounting Depth mm (mm)	30

Article Table

DESCRIPTION	Order No.
Pin compact socket outlet 2x2P+E, screw clamps, silver	EV121361
VISIO S 55 (55x55), Rated current 16A, Connection type Screw clamps, Silver	
Optional Accessories	
One gang frame, Design CUBIC, silver	EV125301
VISIO S 55 (55x55), ABS, ROHS, Silver	
Two gang frame, Design CUBIC, silver	EV125302
VISIO S 55 (55x55), ABS, ROHS, Silver	
Three gang frame, Design CUBIC, silver	EV125303
VISIO S 55 (55x55), ABS, ROHS, Silver	
Four gang frame, Design CUBIC, silver	EV125304
VISIO S 55 (55x55), ABS, ROHS, Silver	
Five gang frame, Design CUBIC, silver	EV125305
VISIO S 55 (55x55), ABS, ROHS, Silver	