

Data Sheet for Article: G163268061

HSS bimetal cylinder hole saw, d68mm, without shaft



Schrack-Info

Designation: HSS bimetal cylinder hole saw, without shank.

Materials to be cut: steel, stainless steel, cast iron, copper, bronze, aluminium, wood and plastic to a certain extent.

Features: :

- Very fast sawing progress
- Minimised rattling and squeaking
- Cutting depth: 36mm
- Vario toothing
- M42 bimetal (8% cobalt)

Technical Data

Net height (mm)	43,00
Net diameter (mm)	68,00
Net weight (kg)	0,23
Product category	Dosensäge
Manufacturer	Würth

Datei Tabelle: HSS bimetal cylinder hole saw, d68mm, without shaft

Models		GI63212106	GI63268061	GI63290105	GI63290114
Dimensions	mm	21	68	105	114
	Inch	13/16	2 11/16	4 1/8	4 1/2
Recommended speeds 1 / min	Soft Steel	425	130	80	75
	WS VA	210	65	40	35
	Cast Iron	280	85	55	50
	Brass	560	165	110	100
	Alu	630	190	120	105
Packaging units		1			

DESCRIPTION	Order No.
HSS bimetal cylinder hole saw, d68mm, without shaft	GI63268061