


HVSK Cu 5x160L+3xSRN25 ÜA(3)C 750/850

UP-Hauptsicherungskasten in Kombination mit Vorzählersicherungskasten HVSK 750/850 -
Zugang oben max. 150mm², unten max. 2x 95mm², Abgänge oben M8 max. 50mm²
(NHLSSL) / direkt max. 16mm² (SLTS)



Technical Data

Net width (mm)	750,00
Net height (mm)	850,00
Netto depth (mm)	175,00
Net weight (kg)	33,90
EAN	9008507089833
Material	Thermoplastic
Austrian province	Vienna
IP Rating	IP43
Amperage (A)	170
Protection class	II
Colour	RAL 7035 (Light grey)
Product category	Main Fuse Box in Combination with Pre-meter Fuse Box HVSK
Width (mm)	750
Height (mm)	850
Depth (mm)	175
Basic Description	Enclosure

DESCRIPTION	Order No.
HVSK Cu 5x160L+3xSRN25 ÜA(3)C 750/850	
UP-Hauptsicherungskasten in Kombination mit Vorzählersicherungskasten HVSK 750/850 - Zugang oben max. 150mm ² , unten max. 2x 95mm ² , Abgänge oben M8 max. 50mm ² (NHLSL) / direkt max. 16mm ² (SLTS)	IG795668