


Data Sheet for Article: IP3000905-

Terminal block TB 4-L/LB I

Connection: screw-connection, 0.5 mm² - 6 mm², AWG: 20 - 10, dark grey, for: NS 35/7.5, NS 35/15, NS 32



Technical Data

Netto depth (mm)	62,00
Net width (mm)	6,20
Net height (mm)	56,00
Net weight (kg)	0,01
EAN	9004840579222
Power loss (W)	1,02
Min. ambient temperature (°C)	-40
Max. ambient temperature (°C)	120
Basic Description	Terminal
System	screw clamp terminals
Series	TB
Version	Double-level terminal
Cross-section (mm ²)	4
Colour	Dark grey

Article Table

DESCRIPTION	Order No.
Terminal block TB 4-L/LB I	IP3000905
Connection: screw-connection, 0.5 mm² - 6 mm², AWG: 20 - 10, dark grey, for: NS 35/7.5, NS 35/15, NS 32	
Optional Accessories	
End bracket CLIPFIX 15, to be snapped onto NS 15 DIN rail	IP3022263
Snap-on end bracket, color: gray	
End bracket CLIPFIX 35-5, for NS 35/7,5 or NS 35/15	IP3022276
Quick mounting end clamp, with marking option, width: 5.15 mm, color: gray	
End bracket CLIPFIX 35, for NS 35/7,5 DIN rail or NS 35/15	IP3022218
Quick mounting end clamp, with marking option, width: 9.5 mm, color: gray	
End bracket E/UK	IP1201442
End clamp, Width: 9.5 mm, Height: 35.3 mm, Length: 50.5 mm, Color: gray	
End bracket E/UK 1	IP1201413
End clamps, for supporting the ends of double-level and three-level terminal blocks, width: 10 mm, color: gray	
End bracket E/MBK	IP1401637
End clamp, width: 6.2 mm, color: gray	
End bracket E/MK 1	IP1421659
End clamp width: 6 mm, color: gray	
End bracket E/NS 35 N	IP0800886
End clamp, width: 9.5 mm, color: gray	
Marking tags for TB and ST - terminals, 1-30 (each 2x)	IP196001
Marking tags for Phoenix Contact - terminals, series TB and ST	
Marking tags for TB and ST - terminals, 31-60 (each 2x)	IP196031
Marking tags for Phoenix Contact - terminals, series TB and ST	
Marking tags for TB and ST - terminals, 61-90 (each 2x)	IP196061
Marking tags for Phoenix Contact - terminals, series TB and ST	
Marking tags for TB and ST - terminals, 91-120 (each 2x)	IP196091
Marking tags for Phoenix Contact - terminals, series TB and ST	
Marking tags for TB and ST - terminals, 121-150 (each 2x)	IP196121
Marking tags for Phoenix Contact - terminals, series TB and ST	
Marking tags for TB and ST - terminals, 151-180 (each 2x)	IP196151
Marking tags for Phoenix Contact - terminals, series TB and ST	
Marking tags for TB and ST - terminals, 181-210 (each 2x)	IP196181
Marking tags for Phoenix Contact - terminals, series TB and ST	
Marking tags for TB and ST - terminals, 211-240 (each 2x)	IP196211
Marking tags for Phoenix Contact - terminals, series TB and ST	

Article Table

DESCRIPTION	Order No.
Optional Accessories	
Marking tags for TB and ST - terminals, 241-270 (each 2x)	IP196241
Marking tags for Phoenix Contact - terminals, series TB and ST	
Marking tags for TB and ST - terminals, 271-300 (each 2x)	IP196271
Marking tags for Phoenix Contact - terminals, series TB and ST	
Marking tags for TB and ST - terminals, 301-330 (each 2x)	IP196301
Marking tags for Phoenix Contact - terminals, series TB and ST	
Marking tags for TB and ST - terminals, 331-360 (each 2x)	IP196331
Marking tags for Phoenix Contact - terminals, series TB and ST	
Marking tags for TB and ST - terminals, 361-390 (each 2x)	IP196361
Marking tags for Phoenix Contact - terminals, series TB and ST	
Marking tags for TB and ST - terminals, 391-420 (each 2x)	IP196391
Marking tags for Phoenix Contact - terminals, series TB and ST	
Marking tags for TB and ST - terminals, 421-450 (each 2x)	IP196421
Marking tags for Phoenix Contact - terminals, series TB and ST	
Marking tags for TB and ST - terminals, 451-480 (each 2x)	IP196451
Marking tags for Phoenix Contact - terminals, series TB and ST	
Marking tags for TB and ST - terminals, 481-510 (each 2x)	IP196481
Marking tags for Phoenix Contact - terminals, series TB and ST	
Zack marker strip ZB 6, consecutive numbers 1-10	IP10510161
Strip, white, snap into tall marker groove, for terminal width: 6.2 mm, lettering field: 6.2 x 10.5 mm	
Zack marker strip ZB 6, consecutive numbers 11-20	IP10510162
Strip, white, snap into tall marker groove, for terminal width: 6.2 mm, lettering field: 6.2 x 10.5 mm	
Zack marker strip ZB 6, consecutive numbers 21-30	IP10510163
Strip, white, snap into tall marker groove, for terminal width: 6.2 mm, lettering field: 6.2 x 10.5 mm	
Zack marker strip ZB 6, consecutive numbers 31-40	IP10510164
Strip, white, snap into tall marker groove, for terminal width: 6.2 mm, lettering field: 6.2 x 10.5 mm	
Zack marker strip ZB 6, consecutive numbers 41-50	IP10510165
Strip, white, snap into tall marker groove, for terminal width: 6.2 mm, lettering field: 6.2 x 10.5 mm	
Zack marker strip ZB 6, consecutive numbers 51-60	IP10510166
Strip, white, snap into tall marker groove, for terminal width: 6.2 mm, lettering field: 6.2 x 10.5 mm	
Zack marker strip ZB 6, consecutive numbers 61-70	IP10510167
Strip, white, snap into tall marker groove, for terminal width: 6.2 mm, lettering field: 6.2 x 10.5 mm	
Zack marker strip ZB 6, consecutive numbers 71-80	IP10510168
Strip, white, snap into tall marker groove, for terminal width: 6.2 mm, lettering field: 6.2 x 10.5 mm	
Zack marker strip ZB 6, consecutive numbers 81-90	IP10510169
Strip, white, snap into tall marker groove, for terminal width: 6.2 mm, lettering field: 6.2 x 10.5 mm	
Zack marker strip ZB 6, consecutive numbers 91-100	IP1051016H
Strip, white, snap into tall marker groove, for terminal width: 6.2 mm, lettering field: 6.2 x 10.5 mm	

Article Table

DESCRIPTION	Order No.
Optional Accessories	
Zack marker strip flat ZBF 6, blank	IP0808710
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Zack marker strip flat ZBF 6, consecutive numbers 1-10	IP08087491
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Zack marker strip flat ZBF 6, consecutive numbers 11-20	IP08087492
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Zack marker strip flat ZBF 6, consecutive numbers 21-30	IP08087493
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Zack marker strip flat ZBF 6, consecutive numbers 31-40	IP08087494
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Zack marker strip flat ZBF 6, consecutive numbers 41-50	IP08087495
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Zack marker strip flat ZBF 6, consecutive numbers 51-60	IP08087496
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Zack marker strip flat ZBF 6, consecutive numbers 61-70	IP08087497
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Zack marker strip flat ZBF 6, consecutive numbers 71-80	IP08087498
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Zack marker strip flat ZBF 6, consecutive numbers 81-90	IP08087499
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Zack marker strip flat ZBF 6, consecutive numbers 91-100	IP0808749H
Strip, white, snap into flat marker groove, for terminal width: 6.2 mm, lettering field: 5.15 x 6.15 mm	
Cover D-TB 2,5/4-L/LB	IP3000906
End cover, color: dark grey	
Fixed bridge SCBI 10-6	IP3246120
Fixed bridge, poles: 10, color: silver-colored	
Insertion bridge INB 10-6	IP3246188
Insert bridge, poles: 10, color: grey	
Insulation plate TS-TB-2L	IP3062841
Insulation plate, length: 16 mm, wide: 0.5 mm, height: 14 mm, color: dark grey	
Test socket TPS 3/10/4	IP3246230
Test socket, color: silver-colored	
End bracket E/NS 35 N	IP0800886
End clamp, width: 9.5 mm, color: gray	
End bracket E/UK 1	IP1201413
End clamps, for supporting the ends of double-level and three-level terminal blocks, width: 10 mm, color: gray	
End bracket E/UK	IP1201442
End clamp, Width: 9.5 mm, Height: 35.3 mm, Length: 50.5 mm, Color: gray	

Article Table

DESCRIPTION	Order No.
Optional Accessories	
	IP1212602