


Data Sheet for Article: IP3211485-

Feed-through terminal block PT 6-TWIN BU

Push-in connection, cross section: 0.5 - 10 mm², AWG: 20 - 8, width: 8.2 mm, height: 42.2 mm, grey, NS 35/7.5, NS 35/15



Technical Data

Netto depth (mm)	42,20
Net width (mm)	8,20
Net height (mm)	74,20
Net weight (kg)	0,02
EAN	4046356495967
Power loss (W)	1,31
Min. ambient temperature (°C)	-40
Max. ambient temperature (°C)	120
Basic Description	Terminal
System	Push-In
Series	PT
Version	Feed-through terminal
Max. cross section, solid wire (mm ²)	10
Max. cross section, flexible wire (mm ²)	6
Max. cross section, flexible wire with ferrule (mm ²)	6
Min. cross section, solid wire (mm ²)	0,50
Min. cross section, flexible wire (mm ²)	0,50

Technical Data - continued

Min. cross section, flexible wire with ferrule (mm ²)	0,50
Cross-section (mm ²)	6
Colour	Grey
Rated current (A)	41

Article Table

DESCRIPTION	Order No.
Feed-through terminal block PT 6-TWIN BU	IP3211485
Push-in connection, cross section: 0.5 - 10 mm², AWG: 20 - 8, width: 8.2 mm, height: 42.2 mm, grey, NS 35/7.5, NS 35/15	
Optional Accessories	
End bracket CLIPFIX 15, to be snapped onto NS 15 DIN rail	IP3022263
Snap-on end bracket, color: gray	
End bracket CLIPFIX 35-5, for NS 35/7,5 or NS 35/15	IP3022276
Quick mounting end clamp, with marking option, width: 5.15 mm, color: gray	
End bracket CLIPFIX 35, for NS 35/7,5 DIN rail or NS 35/15	IP3022218
Quick mounting end clamp, with marking option, width: 9.5 mm, color: gray	
End bracket E/UK	IP1201442
End clamp, Width: 9.5 mm, Height: 35.3 mm, Length: 50.5 mm, Color: gray	
End bracket E/UK 1	IP1201413
End clamps, for supporting the ends of double-level and three-level terminal blocks, width: 10 mm, color: gray	
End bracket E/MBK	IP1401637
End clamp, width: 6.2 mm, color: gray	
End bracket E/MK 1	IP1421659
End clamp width: 6 mm, color: gray	
End bracket E/NS 35 N	IP0800886
End clamp, width: 9.5 mm, color: gray	
Zack marker strip ZB 8, blank	IP1052002
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	
Zack marker strip ZB 8, consecutive numbers 1-10	IP10520151
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	
Zack marker strip ZB 8, consecutive numbers 11-20	IP10520152
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	
Zack marker strip ZB 8, consecutive numbers 21-30	IP10520153
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	

Article Table

DESCRIPTION	Order No.
Optional Accessories	
Zack marker strip ZB 8, consecutive numbers 31-40	IP10520154
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	
Zack marker strip ZB 8, consecutive numbers 41-50	IP10520155
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	
Zack marker strip ZB 8, consecutive numbers 51-60	IP10520156
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	
Zack marker strip ZB 8, consecutive numbers 61-70	IP10520157
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	
Zack marker strip ZB 8, consecutive numbers 71-80	IP10520158
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	
Zack marker strip ZB 8, consecutive numbers 81-90	IP10520159
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	
Zack marker strip ZB 8, consecutive numbers 91-100	IP1052015H
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	
Zack marker strip flat ZBF 8, blank	IP0808781
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Zack marker strip flat ZBF 8, consecutive numbers 1-10	IP08088041
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Zack marker strip flat ZBF 8, consecutive numbers 11-20	IP08088042
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Zack marker strip flat ZBF 8, consecutive numbers 21-30	IP08088043
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Zack marker strip flat ZBF 8, consecutive numbers 31-40	IP08088044
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Zack marker strip flat ZBF 8, consecutive numbers 41-50	IP08088045
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Zack marker strip flat ZBF 8, consecutive numbers 51-60	IP08088046
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Zack marker strip flat ZBF 8, consecutive numbers 61-70	IP08088047
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Zack marker strip flat ZBF 8, consecutive numbers 71-80	IP08088048
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Zack marker strip flat ZBF 8, consecutive numbers 81-90	IP08088049
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Zack marker strip flat ZBF 8, consecutive numbers 91-100	IP0808804H
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
End cover D-PT 6-TWIN	IP3211508
End cover, length: 74 mm, width: 2.2 mm, height: 36 mm, color: grey	

Article Table

DESCRIPTION	Order No.
Optional Accessories	
Plug-in bridge FBS 2-8	IP3030284
Plug-in bridge, pitch: 8.2 mm, length: 29.6 mm, width: 14.7 mm, poles: 2, color: red	
Plug-in bridge FBS 3-8	IP3030297
Plug-in bridge, pitch: 8.2 mm, poles: 3, color: red	
Plug-in bridge FBS 4-8	IP3030307
Plug-in bridge, pitch: 8.2 mm, poles: 4, color: red	
Plug-in bridge FBS 5-8	IP3030310
Plug-in bridge, pitch: 8.2 mm, poles: 5, color: red	
Plug-in bridge FBS 10-8	IP3030323
Plug-in bridge, pitch: 8.2 mm, poles: 10, color: red	
Plug-in bridge FBSR 2-8	IP3033808
Plug-in bridge, pitch: 8.2 mm, poles: 2, color: red	
Plug-in bridge FBSR 3-8	IP3001597
Plug-in bridge, pitch: 8.2 mm, poles: 3, color: red	
Plug-in bridge FBSR 4-8	IP3000585
Plug-in bridge, pitch: 8.2 mm, poles: 4, color: red	
Plug-in bridge FBSR 5-8	IP3033809
Plug-in bridge, pitch: 8.2 mm, poles: 5, color: red	
Plug-in bridge FBSR 10-8	IP3001599
Plug-in bridge, pitch: 8.2 mm, poles: 10, color: red	
Plug-in bridge FBSR 16-8	IP3033816
Plug-in bridge, pitch: 8.2 mm, poles: 16, color: red	
Screwdriver 0.8 x 4 (SZF 2-0.8X4.0)	IP1204520
Actuation tool, for ST terminal blocks, also suitable for use as a bladed screwdriver, size: 0.8 x 4.0 x 100 mm, 2-component grip, with non-slip grip	