


Data Sheet for Article: IP3213726-

Multi-level terminal block PT 1,5/S-3L BU

Cross section: 0.14 mm² - 1.5 mm², AWG: 26 - 14, push-in connection, width: 3.5 mm, blue, NS 35/7.5, NS 35/15



Technical Data

Netto depth (mm)	53,20
Net width (mm)	3,50
Net height (mm)	97,20
Net weight (kg)	0,01
EAN	4046356572491
Power loss (W)	0,56
Min. ambient temperature (°C)	-40
Max. ambient temperature (°C)	120
Basic Description	Terminal
System	Push-In
Series	PT
Version	Multi-level terminal
Max. cross section, solid wire (mm ²)	1,50
Max. cross section, flexible wire (mm ²)	1,50
Max. cross section, flexible wire with ferrule (mm ²)	1
Min. cross section, solid wire (mm ²)	0,14
Min. cross section, flexible wire (mm ²)	0,14

Technical Data - continued

Min. cross section, flexible wire with ferrule (mm ²)	0, 14
Cross-section (mm ²)	1.5
Colour	Blue
Rated current (A)	15

Article Table

DESCRIPTION	Order No.
Multi-level terminal block PT 1,5/S-3L BU	IP3213726
Cross section: 0.14 mm² - 1.5 mm², AWG: 26 - 14, push-in connection, width: 3.5 mm, blue, NS 35/7.5, NS 35/15	
Optional Accessories	
End bracket CLIPFIX 15, to be snapped onto NS 15 DIN rail	IP3022263
Snap-on end bracket, color: gray	
End bracket CLIPFIX 35-5, for NS 35/7,5 or NS 35/15	IP3022276
Quick mounting end clamp, with marking option, width: 5.15 mm, color: gray	
End bracket CLIPFIX 35, for NS 35/7,5 DIN rail or NS 35/15	IP3022218
Quick mounting end clamp, with marking option, width: 9.5 mm, color: gray	
End bracket E/UK	IP1201442
End clamp, Width: 9.5 mm, Height: 35.3 mm, Length: 50.5 mm, Color: gray	
End bracket E/UK 1	IP1201413
End clamps, for supporting the ends of double-level and three-level terminal blocks, width: 10 mm, color: gray	
End bracket E/MBK	IP1401637
End clamp, width: 6.2 mm, color: gray	
End bracket E/MK 1	IP1421659
End clamp width: 6 mm, color: gray	
End bracket E/NS 35 N	IP0800886
End clamp, width: 9.5 mm, color: gray	
Zack marker strip ZB 3,5, blank	IP0829414
Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm	
Zack marker strip ZB 3,5, consecutive numbers 1-10	IP08014041
Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm	
Zack marker strip ZB 3,5, consecutive numbers 11-20	IP08014042
Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm	
Zack marker strip ZB 3,5, consecutive numbers 21-30	IP08014043
Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm	

Article Table

DESCRIPTION	Order No.
Optional Accessories	
Zack marker strip ZB 3,5, consecutive numbers 31-40	IP08014044
Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm	
Zack marker strip ZB 3,5, consecutive numbers 41-50	IP08014045
Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm	
Zack marker strip ZB 3,5, consecutive numbers 51-60	IP08014046
Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm	
Zack marker strip ZB 3,5, consecutive numbers 61-70	IP08014047
Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm	
Zack marker strip ZB 3,5, consecutive numbers 71-80	IP08014048
Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm	
Zack marker strip ZB 3,5, consecutive numbers 81-90	IP08014049
Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm	
Zack marker strip ZB 3,5, consecutive numbers 91-100	IP0801404H
Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm	
Zack marker strip flat ZBF 3,5, blank	IP0829392
Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm	
Zack marker strip flat ZBF 3,5, consecutive numbers 1-10	IP08014061
Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm	
Zack marker strip flat ZBF 3,5, consecutive numbers 11-20	IP08014062
Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm	
Zack marker strip flat ZBF 3,5, consecutive numbers 21-30	IP08014063
Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm	
Zack marker strip flat ZBF 3,5, consecutive numbers 31-40	IP08014064
Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm	
Zack marker strip flat ZBF 3,5, consecutive numbers 41-50	IP08014065
Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm	
Zack marker strip flat ZBF 3,5, consecutive numbers 51-60	IP08014066
Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm	
Zack marker strip flat ZBF 3,5, consecutive numbers 61-70	IP08014067
Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm	
Zack marker strip flat ZBF 3,5, consecutive numbers 71-80	IP08014068
Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm	
Zack marker strip flat ZBF 3,5, consecutive numbers 81-90	IP08014069
Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm	
Zack marker strip flat ZBF 3,5, consecutive numbers 91-100	IP0801406H
Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm	
End cover D-PT 1,5/S-3L	IP3113771
End cover, length: 97.2 mm, width: 2.2 mm, height: 45.5 mm, color: grey	

Article Table

DESCRIPTION	Order No.
Optional Accessories	
Plug-in bridge FBS 2-3,5 Plug-in bridge, pitch: 3.5 mm, poles: 2, color: red	IP3213014
Plug-in bridge FBS 3-3,5 Plug-in bridge, pitch: 3.5 mm, poles: 3, color: red	IP3213027
Plug-in bridge FBS 4-3,5 Plug-in bridge, pitch: 3.5 mm, poles: 4, color: red	IP3213030
Plug-in bridge FBS 5-3,5 Plug-in bridge, pitch: 3.5 mm, poles: 5, color: red	IP3213043
Plug-in bridge FBS 10-3,5 Plug-in bridge, pitch: 3.5 mm, poles: 10, color: red	IP3213056
Plug-in bridge FBS 20-3,5 Plug-in bridge, pitch: 3.5 mm, poles: 20, color: red	IP3213069
Plug-in bridge FBS 20-3,5 Plug-in bridge, pitch: 3.5 mm, poles: 20, color: red	IP3213069
Screwdriver 0.4 x 2.5 (SZF 0-0.4X2.5) Actuation tool, for ST terminal blocks, also suitable for use as a bladed screwdriver, size: 0.4 x 2.5 x 75 mm, 2-component grip, with non-slip grip	IP1204504
Test plug MPS-MT Test plug, color: silver	IP0201744
Insulation sleeve MPS-IH RD Insulation sleeve, color: red	IP0201676