

Data Sheet for Article: IP3270191 -

## Potential distributors FTRV 8 BU/WHRD

250 V, 17.5 A, 0.14 - 2.5, AWG: 14 - 26, pole: 2, Number of connections: 32, 8.3 x 100 mm, blue, elements: white, red



### Technical Data

|                                                      |                        |
|------------------------------------------------------|------------------------|
| Netto depth (mm)                                     | 87,50                  |
| Net width (mm)                                       | 8,30                   |
| Net height (mm)                                      | 100,00                 |
| Net weight (kg)                                      | 0,04                   |
| EAN                                                  | 4055626044262          |
| Power loss (W)                                       | 0,56                   |
| Min. ambient temperature (°C)                        | -40                    |
| Max. ambient temperature (°C)                        | 120                    |
| Basic Description                                    | Terminal               |
| System                                               | Push-In                |
| Series                                               | PT                     |
| Version                                              | Potential distributors |
| Max. cross section, solid wire (mm²)                 | 2,50                   |
| Max. cross section, flexible wire (mm²)              | 1,50                   |
| Max. cross section, flexible wire with ferrule (mm²) | 1,50                   |
| Min. cross section, solid wire (mm²)                 | 0,14                   |
| Min. cross section, flexible wire (mm²)              | 0,14                   |

## Technical Data - continued

|                                                                   |       |
|-------------------------------------------------------------------|-------|
| Min. cross section, flexible wire with ferrule (mm <sup>2</sup> ) | 0,14  |
| Cross-section (mm <sup>2</sup> )                                  | 1.5   |
| Colour                                                            | Red   |
| Rated current (A)                                                 | 17,50 |

## Article Table

| DESCRIPTION                                                                                                                                                    | Order No. |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Potential distributors FTRV 8 BU/WHRD<br>250 V, 17.5 A, 0.14 - 2.5, AWG: 14 - 26, pole: 2, Number of connections: 32, 8.3 x 100 mm, blue, elements: white, red | IP3270191 |
| <b>Optional Accessories</b>                                                                                                                                    |           |
| End bracket CLIPFIX 15, to be snapped onto NS 15 DIN rail<br>Snap-on end bracket, color: gray                                                                  | IP3022263 |
| End bracket CLIPFIX 35-5, for NS 35/7,5 or NS 35/15<br>Quick mounting end clamp, with marking option, width: 5.15 mm, color: gray                              | IP3022276 |
| End bracket CLIPFIX 35, for NS 35/7,5 DIN rail or NS 35/15<br>Quick mounting end clamp, with marking option, width: 9.5 mm, color: gray                        | IP3022218 |
| End bracket E/UK<br>End clamp, Width: 9.5 mm, Height: 35.3 mm, Length: 50.5 mm, Color: gray                                                                    | IP1201442 |
| End bracket E/UK 1<br>End clamps, for supporting the ends of double-level and three-level terminal blocks, width: 10 mm, color: gray                           | IP1201413 |
| End bracket E/MBK<br>End clamp, width: 6.2 mm, color: gray                                                                                                     | IP1401637 |
| End bracket E/MK 1<br>End clamp width: 6 mm, color: gray                                                                                                       | IP1421659 |
| End bracket E/NS 35 N<br>End clamp, width: 9.5 mm, color: gray                                                                                                 | IP0800886 |
| Marking tags for TB and ST - terminals, 1-30 (each 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST                                       | IP196001  |
| Marking tags for TB and ST - terminals, 31-60 (each 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST                                      | IP196031  |
| Marking tags for TB and ST - terminals, 61-90 (each 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST                                      | IP196061  |
| Marking tags for TB and ST - terminals, 91-120 (each 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST                                     | IP196091  |

## Article Table

| DESCRIPTION                                                    | Order No. |
|----------------------------------------------------------------|-----------|
| <b>Optional Accessories</b>                                    |           |
| Marking tags for TB and ST - terminals, 121-150 (each 2x)      | IP196121  |
| Marking tags for Phoenix Contact - terminals, series TB and ST |           |
| Marking tags for TB and ST - terminals, 151-180 (each 2x)      | IP196151  |
| Marking tags for Phoenix Contact - terminals, series TB and ST |           |
| Marking tags for TB and ST - terminals, 181-210 (each 2x)      | IP196181  |
| Marking tags for Phoenix Contact - terminals, series TB and ST |           |
| Marking tags for TB and ST - terminals, 211-240 (each 2x)      | IP196211  |
| Marking tags for Phoenix Contact - terminals, series TB and ST |           |
| Marking tags for TB and ST - terminals, 241-270 (each 2x)      | IP196241  |
| Marking tags for Phoenix Contact - terminals, series TB and ST |           |
| Marking tags for TB and ST - terminals, 271-300 (each 2x)      | IP196271  |
| Marking tags for Phoenix Contact - terminals, series TB and ST |           |
| Marking tags for TB and ST - terminals, 301-330 (each 2x)      | IP196301  |
| Marking tags for Phoenix Contact - terminals, series TB and ST |           |
| Marking tags for TB and ST - terminals, 331-360 (each 2x)      | IP196331  |
| Marking tags for Phoenix Contact - terminals, series TB and ST |           |
| Marking tags for TB and ST - terminals, 361-390 (each 2x)      | IP196361  |
| Marking tags for Phoenix Contact - terminals, series TB and ST |           |
| Marking tags for TB and ST - terminals, 391-420 (each 2x)      | IP196391  |
| Marking tags for Phoenix Contact - terminals, series TB and ST |           |
| Marking tags for TB and ST - terminals, 421-450 (each 2x)      | IP196421  |
| Marking tags for Phoenix Contact - terminals, series TB and ST |           |
| Marking tags for TB and ST - terminals, 451-480 (each 2x)      | IP196451  |
| Marking tags for Phoenix Contact - terminals, series TB and ST |           |
| Marking tags for TB and ST - terminals, 481-510 (each 2x)      | IP196481  |
| Marking tags for Phoenix Contact - terminals, series TB and ST |           |