

EUTRAC 3-phase track, 3 Meter, white RAL 9016



Product Details

Aluminium Trägerschiene des EUTRAC Hochvolt 3Phasen-Einbauschiene-Systems. Die Einbauversion dieses Systems ist in mehreren Längen verfügbar. Durch die besondere Konstruktion der Schiene besteht die Möglichkeit Deckenelemente im Winkel der Schiene auf zu legen. Angaben zur maximalen Belastung entnehmen Sie bitte der Anleitung. Alternativ steht des Weiteren eine Aufbauversion zur Verfügung. Bitte beachten Sie, dass sich der Weißton ab dem 01. April 2018 von RAL 9010 auf RAL 9016 (Verkehrsweiß) ändert.

Technical Data

Protection class	I
Luminaire type	Accessory
Operating voltage AC (V)	220-240
Cut-out size (mm)	3000x40
Mounting Depth mm (mm)	41
Colour	White
Material	Aluminum Plastic
Lenght (mm)	3000
Width (mm)	59
Height (mm)	41

Technical Data - continued

Optional Accessories	LI1001533-;LI1001534-;LI1001538-;LI1001539-;LI1001536-;LI1001537-;LI145551--
LxWxH mm	3000x59x41
Cut-out size mm	3000x40

Article Table

DESCRIPTION	Order No.
EUTRAC 3-phase track, 3 Meter, white RAL 9016	LI1001532
Optional Accessories	
EUTRAC feed-in for 3-phase recessed track, white RAL 9016	LI1001533
Schutzleiter links, weiß, RAL 9016	
EUTRAC Feed-in for recessed track, conductor right, white	LI1001534
EUTRAC end cap for 3-phase recessed track, white RAL 9016	LI1001538
EUTRAC longitudinal coupler, el.& mech., 3 Ph, white RAL 9016	LI1001539
EUTRAC L-coupler for recessed track, outer onconductor, white	LI1001536
EUTRAC L-coupler for recessed track, inner conductor, white	LI1001537
EUTRAC spring clip for 3-phase recessed track, white (6pcs)	LI145551