

Data Sheet for Article: LI1001862-

NOBLO SPOT, black, 2700K, 36°, incl. 1-circuit adapter



Product Details

Dreh- und schwenkbarer LED Strahler NOBLO mit passendem Adapter für das 1Phasen Hochvolt-Schienen-System. Die Leuchte überzeugt mit einem schlanken Design und ist somit ideal für moderne Lichtkonzepte. Die aus Aluminium gefertigte Leuchte ist mit einer Premium LED Modul bestückt.

Technical Data

Luminous flux (lm)	666
Colour temperature (K)	2700
Service life	30.000h
Dimmable	yes trailing edge dimmable (C)
Protection class	II
Lamp holder	LED Platine
Beam angle (°)	36
Power (W)	8
Operating voltage AC (V)	220-240
Mounting	power rail
Colour	Black
Material	Aluminum

Technical Data - continued

Lenght (mm)	105
Width (mm)	50
Height (mm)	107
Diameter (mm)	50
Optional Accessories	LI143010--;LI143020--;LI1002151-
LxWxH mm	105x50x107
ØxH mm	50x107

Article Table

DESCRIPTION	Order No.
NOBLO SPOT, black, 2700K, 36°, incl. 1-circuit adapter	LI1001862
Optional Accessories	
1-circuit high-voltage track, surface-mounted, black, 1 m	LI143010
1-circuit high-voltage track, surface-mounted, black, 2m	LI143020
1-circuit 240V track, surface-mounted, black, 3m	LI1002151