

Data Sheet for Article: LI1002854-

KALU 860lm 3000K 230V 95° black

1-phase track-mounted spotlight



Product Details

Dreh- und schwenkbar Strahler KALU TRACK mit passendem Adapter für das 1 Phasen Hochvolt-Schienen-System. Konzipiert als Erweiterung der beliebten KALU Serie greift dieser Schienenstrahler die Formgebung der Produktfamilie auf. Durch das verbaute LED Modul wird eine hohe Lichtausbeute bei geringem Stromverbrauch gewährleistet. Um allen Beleuchtungsanforderungen gerecht zu werden, sind alternativ Versionen mit G53 Sockel, sowie GX53 Sockel für das 1- und 3-Phasen System verfügbar. Diese Leuchte enthält eingebaute LED-Lampen.

Technical Data

Luminous flux (lm)	970
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥80
Service life	25000
Dimmable	yes leading edge dimmable (L) trailing edge dimmable (C)
Energy efficiency class	F
Luminaire type	power trail luminaire
Illuminant incl.	yes
Lamp holder	LED Platine

Technical Data - continued

Beam angle (°)	95
Power (W)	13
Operating voltage AC (V)	220-240
Mounting	power rail
Colour	Black
Material	Aluminum
Length (mm)	120
Width (mm)	105
Height (mm)	150
Diameter (mm)	105
Optional Accessories	LI143010--;LI143020--;LI1002151-
LxWxH mm	120x105x150
ØxH mm	105x150

Article Table

DESCRIPTION	Order No.
KALU 860lm 3000K 230V 95° black 1-phase track-mounted spotlight	LI1002854
Optional Accessories	
1-circuit high-voltage track, surface-mounted, black, 1 m	LI143010
1-circuit high-voltage track, surface-mounted, black, 2m	LI143020
1-circuit 240V track, surface-mounted, black, 3m	LI1002151