

Data Sheet for Article: LI1003040-

LED PANEL 3150lm 3000K 230V 110° white

LED ceiling luminaire



Product Details

Die in mehreren Lichtfarben erhältliche PANEL 60 DALI Deckenleuchte überzeugt neben ihrer ultraflachen Bauform, mit leistungsstarken LED Modulen in dimmbarer Ausführung. Der Aluminiumrahmen ist mit einer Acrylglasabdeckung versehen, die für eine homogene und blendfreie Ausleuchtung sorgt. Das bereits verbaute, DALI kompatible Betriebsgerät ermöglicht den direkten Anschluss an eine Netzspannung von 100V -240V.

Technical Data

Service life	30.000h
Dimmable	DALI yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	110
Mounting	surface mounting ceiling
Length (mm)	600
Width (mm)	600
Height (mm)	55
Diameter (mm)	600
Optional Accessories	EHDALIDIM-
LxWxH mm	600x600x55

Technical Data - continued

ØxH mm

| 600x55

Article Table

DESCRIPTION	Order No.
LED PANEL 3150lm 3000K 230V 110° white LED ceiling luminaire	LI1003040
Optional Accessories	
Flush-mounted Dimmer inbox for Dali Ballasts or Drivers For push button control	EHDALIDIM