

Data Sheet for Article: LI1004665-

OCULUS CW 10, 5W 2000-3000K 230V IP20

white

Wall, ceiling lamp, DIM-TO-WARM



Product Details

Mit hohem Farbwiedergabeindex (CRI>90) und der Dim-to-Warm Dimmbarkeit zu besonders warmem Licht (2000-3000K) zaubert jedes Mitglied der OCULUS Familie eine einzigartige Stimmung herbei. Dabei sorgt die spezielle Linsenoptik für einen scharf konturierten Lichteffect, der die Leuchte zur idealen Akzentbeleuchtungsquelle im gehobenen Privatbereich, Arztpraxen, Kanzleien, Cafés, Hotels und Restaurants macht. Durch den Einsatz der beiliegenden gefrosteten Scheibe kann das Licht optional von scharf konturiertem Licht in eine diffuse Lichtverteilung angepasst werden.

Technical Data

Luminous flux (lm)	36 - 780
Light colour	candle light white warm white
Colour temperature (K)	2000-3000
Colour rendering index (Ra)	≥90
Service life	25.000h
Dimmable	Dim-to-Warm yes trailing edge dimmable (C)
Protection class	I

Technical Data - continued

IP Rating	IP20
Luminaire type	wall luminaires surface mounted ceiling luminaire
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	120
Power (W)	10,50
Operating voltage AC (V)	220-240
Operation current mA (mA)	250
Colour	White
Material	Aluminum Glass
Lenght (mm)	115
Width (mm)	115
Height (mm)	185
Diameter (mm)	115
LxWxH mm	115x115x185
ØxH mm	115x185

DESCRIPTION	Order No.
OCULUS CW 10,5W 2000-3000K 230V IP20 white Wall, ceiling lamp, DIM-TO-WARM	LI1004665