


# NUMINOS® MOVE S 690lm 250mA 20° 927 black/chrome

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



## Product Details

Design, Technik und Funktion in Perfektion: NUMINOS ist das Leuchtsystem von SLV, das alles vereint. Mit unterschiedlichen Down- und Spotlights sorgen Sie für Tausend lichtgestalterische Möglichkeiten. Dazu gehört auch NUMINOS® MOVE S, die als Deckeneinbauleuchte durch beste Verarbeitungs- und Lichtqualität besticht. So gestalten Sie eine dezente, moderne und platzsparende Beleuchtung, die den Fokus auf Objekte oder den Raum lenkt. Die Installation gestaltet sich dann im Handumdrehen. Wann entscheiden Sie sich NUMINOS ® von SLV?

## Technical Data

|                    |                            |
|--------------------|----------------------------|
| Luminous flux (lm) | 690                        |
| Dimmable           | Depending on driver<br>yes |
| Illuminant incl.   | yes                        |
| Lamp holder        | LED Platine                |
| Beam angle (°)     | 20                         |
| Power (W)          | 8,60                       |
| Cut-out size (mm)  | Ø 90                       |
| Lenght (mm)        | 100                        |

## Technical Data - continued

|                 |            |
|-----------------|------------|
| Width (mm)      | 100        |
| Height (mm)     | 63,50      |
| Diameter (mm)   | 100        |
| LxWxH mm        | 100x100x64 |
| ØxH mm          | 100x64     |
| Cut-out size mm | Ø 90       |

| DESCRIPTION                                                                                                                                                  | Order No. |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| NUMINOS® MOVE S 690lm 250mA 20° 927 black/chrome<br>Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately! | LI1005321 |