


Data Sheet for Article: LI1005344-

# NUMINOS® MOVE S 730lm 250mA 55° 930 black/white

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



## Product Details

NUMINOS ist das optimal aufeinander abgestimmte Leuchtsystem von SLV, das Funktion, Design und Technik vereint. Mit verschiedenen Down- und Spotlights sorgen Sie für Tausend lichtgestalterische Möglichkeiten. Wie mit dem NUMINOS® MOVE S Deckeneinbauleuchte, die durch ihre hochwertige Verarbeitungs- und Lichtqualität besticht. Ideal für eine dezente, moderne und platzsparende Beleuchtung, die den Fokus auf Objekte oder den Raum lenkt. Die Installation gestaltet sich dann im Handumdrehen. Wann entscheiden Sie sich NUMINOS ® von SLV?

## Technical Data

|                    |                            |
|--------------------|----------------------------|
| Luminous flux (lm) | 730                        |
| Dimmable           | Depending on driver<br>yes |
| Illuminant incl.   | yes                        |
| Lamp holder        | LED Platine                |
| Beam angle (°)     | 55                         |
| Power (W)          | 8,60                       |
| Cut-out size (mm)  | Ø 90                       |
| Length (mm)        | 100                        |

## Technical Data - continued

|                 |            |
|-----------------|------------|
| Width (mm)      | 100        |
| Height (mm)     | 63,50      |
| Diameter (mm)   | 100        |
| LxWxH mm        | 100x100x64 |
| ØxH mm          | 100x64     |
| Cut-out size mm | Ø 90       |

| DESCRIPTION                                                                                                                                                 | Order No. |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| NUMINOS® MOVE S 730lm 250mA 55° 930 black/white<br>Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately! | LI1005344 |