

Data Sheet for Article: LI1005372-

NUMINOS® MOVE S 750lm 250mA 55° 940 white/chrome

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

NUMINOS ist das optimal aufeinander abgestimmte Leuchtsystem von SLV, das Funktion, Design und Technik vereint. So können Sie mit unterschiedlichen Down- und Spotlights Tausend lichtgestalterische Möglichkeiten erleben. Auch mit der Numinos® MOVE S Deckeneinbauleuchte, die mit bester Verarbeitungs- und Lichtqualität überzeugt. Ideal für eine harmonische, moderne und platzsparende Beleuchtung, die den Akzent auf Objekte oder den Raum lenkt. Die Installation gestaltet sich dann im Handumdrehen. Wann entscheiden Sie sich für die modulare Vielfalt von SLV?

Technical Data

Luminous flux (lm)	750
Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	55
Power (W)	8,60
Cut-out size (mm)	Ø 90
Length (mm)	100

Technical Data - continued

Width (mm)	100
Height (mm)	63,50
Diameter (mm)	100
LxWxH mm	100x100x64
ØxH mm	100x64
Cut-out size mm	Ø 90

DESCRIPTION	Order No.
NUMINOS® MOVE S 750lm 250mA 55° 940 white/chrome Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005372