


Data Sheet for Article: LI1005504-

NUMINOS® XS 650lm 200mA 40° 927/IP44 black/chrome

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

NUMINOS ist das optimal aufeinander abgestimmte Leuchtsystem von SLV, das Funktion, Design und Technik vereint. Mit unterschiedlichen Down- und Spotlights sorgen Sie für Tausend lichtgestalterische Möglichkeiten. Dazu gehört auch NUMINOS® XS, die als Deckeneinbauleuchte durch beste Verarbeitungs- und Lichtqualität besticht. Ideal für eine dezente, moderne und platzsparende Beleuchtung, die den Akzent auf Objekte oder den Raum lenkt. Die einfache Installation ist dann nur noch Formsache. Wann entscheiden Sie sich NUMINOS von SLV – die modulare Vielfalt erwartet Sie.

Technical Data

Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	40
Power (W)	7
Cut-out size (mm)	Ø 55
Length (mm)	65
Width (mm)	65

Technical Data - continued

Height (mm)	45
Diameter (mm)	65
LxWxH mm	65x65x45
ØxH mm	65x45
Cut-out size mm	Ø 55

DESCRIPTION	Order No.
NUMINOS® XS 650lm 200mA 40° 927/IP44 black/chrome Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005504