


Data Sheet for Article: LI1005508-

NUMINOS® XS 640lm 200mA 20° 927 IP44 white/black

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

NUMINOS ist das optimal aufeinander abgestimmte Leuchtsystem von SLV, das Funktion, Design und Technik vereint. Mit vielfältigen Down- und Spotlights sorgen Sie für Tausend lichtgestalterische Möglichkeiten. Auch mit der NUMINOS® XS Deckeneinbauleuchte, die mit bester Verarbeitungs- und Lichtqualität überzeugt. Ideal für eine harmonische, moderne und platzsparende Beleuchtung, die den Akzent auf Objekte oder den Raum lenkt. Die Installation gestaltet sich dann im Handumdrehen. Wann entscheiden Sie sich NUMINOS von SLV – die modulare Vielfalt erwartet Sie.

Technical Data

Luminous flux (lm)	640
Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	20
Power (W)	7
Cut-out size (mm)	Ø 55
Length (mm)	65

Technical Data - continued

Width (mm)	65
Height (mm)	45
Diameter (mm)	65
LxWxH mm	65x65x45
ØxH mm	65x45
Cut-out size mm	Ø 55

DESCRIPTION	Order No.
NUMINOS® XS 640lm 200mA 20° 927 IP44 white/black Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005508