

Data Sheet for Article: LI1005512-

NUMINOS® XS 650lm 200mA 40° 927/IP44 white

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

Design, Technik und Funktion in Perfektion: NUMINOS ist das Leuchtsystem von SLV, das alles vereint. Mit verschiedenen Down- und Spotlights erleben Sie Tausend lichtgestalterische Möglichkeiten. Dazu gehört auch NUMINOS® XS, die als Deckeneinbauleuchte durch beste Verarbeitungs- und Lichtqualität besticht. Ideal für eine harmonische, moderne und platzsparende Beleuchtung, die den Akzent auf Objekte oder den Raum lenkt. Die Installation gestaltet sich dann im Handumdrehen. Wann entscheiden Sie sich NUMINOS® von SLV?

Technical Data

Luminous flux (lm)	650
Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	40
Cut-out size (mm)	Ø 55
Length (mm)	65
Width (mm)	65

Technical Data - continued

Height (mm)	45
Diameter (mm)	65
LxWxH mm	65x65x45
ØxH mm	65x45
Cut-out size mm	Ø 55

DESCRIPTION	Order No.
NUMINOS® XS 650lm 200mA 40° 927/IP44 white Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005512