

Data Sheet for Article: LI1005554-

NUMINOS® MOVE XS 670lm 200mA 20° 927 black/white

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

NUMINOS ist das bestmöglich aufeinander abgestimmte Leuchtsystem von SLV, das Funktion, Design und Technik vereint. Die unterschiedlichen Down- und Spotlights machen Tausend lichtgestalterische Optionen möglich. Wie mit dem NUMINOS® MOVE XS Deckeneinbauleuchte, die durch ihre hochwertige Verarbeitungs- und Lichtqualität besticht. Ideal für eine harmonische, moderne und platzsparende Beleuchtung, die den Akzent auf Objekte oder den Raum lenkt. Die Montage erledigen Sie dann im Handumdrehen. Wann entscheiden Sie sich für die modulare Vielfalt von SLV?

Technical Data

Luminous flux (lm)	670
Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	20
Power (W)	7
Cut-out size (mm)	Ø 68
Length (mm)	80

Technical Data - continued

Width (mm)	80
Height (mm)	55
Diameter (mm)	80
LxWxH mm	80x80x55
ØxH mm	80x55
Cut-out size mm	Ø 68

DESCRIPTION	Order No.
NUMINOS® MOVE XS 670lm 200mA 20° 927 black/white Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005554