


Data Sheet for Article: LI1005555-

# NUMINOS® MOVE XS 670lm 200mA 20° 927 black/chrome

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



## Product Details

Design, Technik und Funktion in Perfektion: NUMINOS ist das Leuchtsystem von SLV, das alles vereint. So können Sie mit verschiedenen Down- und Spotlights Tausend lichtgestalterische Möglichkeiten erleben. Auch mit der NUMINOS® MOVE XS Deckeneinbauleuchte, die mit bester Verarbeitungs- und Lichtqualität überzeugt. So gestalten Sie eine dezente, moderne und platzsparende Beleuchtung, die den Fokus auf Objekte oder den Raum lenkt. Die Montage erledigen Sie dann im Handumdrehen. Wann entscheiden Sie sich NUMINOS ® von SLV?

## Technical Data

|                   |                            |
|-------------------|----------------------------|
| Dimmable          | Depending on driver<br>yes |
| Illuminant incl.  | yes                        |
| Lamp holder       | LED Platine                |
| Beam angle (°)    | 20                         |
| Power (W)         | 7                          |
| Cut-out size (mm) | Ø 68                       |
| Length (mm)       | 80                         |
| Width (mm)        | 80                         |

## Technical Data - continued

|                 |          |
|-----------------|----------|
| Height (mm)     | 55       |
| Diameter (mm)   | 80       |
| LxWxH mm        | 80x80x55 |
| ØxH mm          | 80x55    |
| Cut-out size mm | Ø 68     |

| DESCRIPTION                                                                                                                                                   | Order No. |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| NUMINOS® MOVE XS 670lm 200mA 20° 927 black/chrome<br>Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately! | LI1005555 |