


Data Sheet for Article: LI1005558-

# NUMINOS® MOVE XS 650lm 200mA 40° 927 black/chrome

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



## Product Details

NUMINOS ist das bestmöglich aufeinander abgestimmte Leuchtensystem von SLV, das Funktion, Design und Technik vereint. Die unterschiedlichen Down- und Spotlights machen Tausend lichtgestalterische Optionen möglich. Dazu gehört auch NUMINOS® MOVE XS, die als Deckeneinbauleuchte durch beste Verarbeitungs- und Lichtqualität besticht. Ideal für eine harmonische, moderne und platzsparende Beleuchtung, die den Akzent auf Objekte oder den Raum lenkt. Die Installation gestaltet sich dann im Handumdrehen. Wann entscheiden Sie sich NUMINOS® von SLV?

## Technical Data

|                   |                            |
|-------------------|----------------------------|
| Dimmable          | Depending on driver<br>yes |
| Illuminant incl.  | yes                        |
| Lamp holder       | LED Platine                |
| Beam angle (°)    | 40                         |
| Power (W)         | 7                          |
| Cut-out size (mm) | Ø 68                       |
| Length (mm)       | 80                         |
| Width (mm)        | 80                         |

## Technical Data - continued

|                 |          |
|-----------------|----------|
| Height (mm)     | 55       |
| Diameter (mm)   | 80       |
| LxWxH mm        | 80x80x55 |
| ØxH mm          | 80x55    |
| Cut-out size mm | Ø 68     |

| DESCRIPTION                                                                                                                                                   | Order No. |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| NUMINOS® MOVE XS 650lm 200mA 40° 927 black/chrome<br>Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately! | LI1005558 |