

Data Sheet for Article: LI1005561 -

NUMINOS® MOVE XS 670lm 200mA 55° 927 black/chrome

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

NUMINOS ist das optimal aufeinander abgestimmte Leuchtsystem von SLV, das Funktion, Design und Technik vereint. Mit verschiedenen Down- und Spotlights sorgen Sie für Tausend lichtgestalterische Möglichkeiten. Auch mit der NUMINOS® MOVE XS Deckeneinbauleuchte, die mit bester Verarbeitungs- und Lichtqualität überzeugt. So gestalten Sie eine unauffällige, moderne und platzsparende Beleuchtung, die den Fokus auf Objekte oder den Raum lenkt. Die Installation gestaltet sich dann im Handumdrehen. Wann entscheiden Sie sich für die modulare Vielfalt von SLV?

Technical Data

Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	55
Power (W)	7
Cut-out size (mm)	Ø 68
Length (mm)	80
Width (mm)	80

Technical Data - continued

Height (mm)	55
Diameter (mm)	80
LxWxH mm	80x80x55
ØxH mm	80x55
Cut-out size mm	Ø 68

DESCRIPTION	Order No.
NUMINOS® MOVE XS 670lm 200mA 55° 927 black/chrome Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005561