

Data Sheet for Article: LI1005565-

NUMINOS® MOVE XS 620lm 200mA 40° 927 white/black

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

NUMINOS ist das optimal aufeinander abgestimmte Leuchtsystem von SLV, das Funktion, Design und Technik vereint. Die verschiedenen Down- und Spotlights machen Tausend lichtgestalterische Optionen möglich. Wie mit dem NUMINOS® MOVE XS Deckeneinbauleuchte, die durch ihre hochwertige Verarbeitungs- und Lichtqualität besticht. So gestalten Sie eine unauffällige, moderne und platzsparende Beleuchtung, die den Fokus auf Objekte oder den Raum lenkt. Die einfache Installation ist dann nur noch Formsache. Wann entscheiden Sie sich NUMINOS ® von SLV?

Technical Data

Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	40
Power (W)	7
Cut-out size (mm)	Ø 68
Length (mm)	80
Width (mm)	80

Technical Data - continued

Height (mm)	55
Diameter (mm)	80
LxWxH mm	80x80x55
ØxH mm	80x55
Cut-out size mm	Ø 68

DESCRIPTION	Order No.
NUMINOS® MOVE XS 620lm 200mA 40° 927 white/black Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005565