

Data Sheet for Article: LI1005567-

NUMINOS® MOVE XS 650lm 200mA 40° 927 white/chrome

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

Design, Technik und Funktion in Perfektion: NUMINOS ist das Leuchtsystem von SLV, das alles vereint. Mit vielfältigen Down- und Spotlights erleben Sie Tausend lichtgestalterische Möglichkeiten. Dazu gehört auch NUMINOS® MOVE XS, die als Deckeneinbauleuchte durch beste Verarbeitungs- und Lichtqualität besticht. Ideal für eine unauffällige, moderne und platzsparende Beleuchtung, die den Fokus auf Objekte oder den Raum lenkt. Die leichte Installation ist dann nur noch Formsache. Wann entscheiden Sie sich für die modulare Vielfalt von SLV?

Technical Data

Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	40
Power (W)	7
Cut-out size (mm)	Ø 68
Length (mm)	80
Width (mm)	80

Technical Data - continued

Height (mm)	55
Diameter (mm)	80
LxWxH mm	80x80x55
ØxH mm	80x55
Cut-out size mm	Ø 68

DESCRIPTION	Order No.
NUMINOS® MOVE XS 650lm 200mA 40° 927 white/chrome Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005567