

Data Sheet for Article: LI1005813-

NUMINOS® GIMBLE XS 640lm 200mA 20° 927 black

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

Das NUMINOS Leuchtsystem von SLV vereint Funktion, Design und Technik auf gekonnte Art und Weise. So können Sie mit vielfältigen Down- und Spotlights Tausend lichtgestalterische Möglichkeiten erleben. Dazu gehört auch NUMINOS® GIMBLE XS, die als Deckeneinbauleuchte durch beste Verarbeitungs- und Lichtqualität besticht. Ideal für eine harmonische, moderne und platzsparende Beleuchtung, die den Akzent auf Objekte oder den Raum lenkt. Die Installation gestaltet sich dann im Handumdrehen. Wann entscheiden Sie sich NUMINOS® von SLV?

Technical Data

Luminous flux (lm)	640
Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	20
Power (W)	7
Cut-out size (mm)	Ø 68
Length (mm)	80

Technical Data - continued

Width (mm)	80
Height (mm)	57
Diameter (mm)	80
LxWxH mm	80x80x57
ØxH mm	80x57
Cut-out size mm	Ø 68

DESCRIPTION	Order No.
NUMINOS® GIMBLE XS 640lm 200mA 20° 927 black Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005813