

Data Sheet for Article: LI1005822-

NUMINOS® GIMBLE XS 640lm 200mA 20° 927 white/black

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

Das NUMINOS Leuchtsystem von SLV vereint Technik, Design und Funktionalität wie kein anderes. Mit unterschiedlichen Down- und Spotlights erleben Sie Tausend lichtgestalterische Möglichkeiten. Dazu gehört auch NUMINOS® GIMBLE XS, die als Deckeneinbauleuchte durch beste Verarbeitungs- und Lichtqualität besticht. So gestalten Sie eine unauffällige, moderne und platzsparende Beleuchtung, die den Fokus auf Objekte oder den Raum lenkt. Die Montage erledigen Sie dann im Handumdrehen. Wann entscheiden Sie sich NUMINOS ® von SLV?

Technical Data

Luminous flux (lm)	640
Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	20
Power (W)	7
Cut-out size (mm)	Ø 68
Length (mm)	80

Technical Data - continued

Width (mm)	80
Height (mm)	57
Diameter (mm)	80
LxWxH mm	80x80x57
ØxH mm	80x57
Cut-out size mm	Ø 68

DESCRIPTION	Order No.
NUMINOS® GIMBLE XS 640lm 200mA 20° 927 white/black Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005822