

Data Sheet for Article: LI1005826-

NUMINOS® GIMBLE XS 650lm 200mA 40° 927 white

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

Design, Technik und Funktion in Perfektion: NUMINOS ist das Leuchtsystem von SLV, das alles vereint. Mit verschiedenen Down- und Spotlights erleben Sie Tausend lichtgestalterische Möglichkeiten. Auch mit der NUMINOS® GIMBLE XS Deckeneinbauleuchte, die mit bester Verarbeitungs- und Lichtqualität überzeugt. So gestalten Sie eine unauffällige, moderne und platzsparende Beleuchtung, die den Fokus auf Objekte oder den Raum lenkt. Die Montage erledigen Sie dann im Handumdrehen. Wann entscheiden Sie sich NUMINOS von SLV – die modulare Vielfalt erwartet Sie.

Technical Data

Luminous flux (lm)	650
Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	40
Power (W)	7
Cut-out size (mm)	Ø 68
Length (mm)	80

Technical Data - continued

Width (mm)	80
Height (mm)	57
Diameter (mm)	80
LxWxH mm	80x80x57
ØxH mm	80x57
Cut-out size mm	Ø 68

DESCRIPTION	Order No.
NUMINOS® GIMBLE XS 650lm 200mA 40° 927 white Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005826