

Data Sheet for Article: LI1005829-

NUMINOS® GIMBLE XS 670lm 200mA 55° 927 white

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

Das NUMINOS Leuchtsystem von SLV vereint Funktion, Design und Technik auf perfekte Art und Weise. So können Sie mit vielfältigen Down- und Spotlights Tausend lichtgestalterische Möglichkeiten erleben. Wie mit dem NUMINOS® GIMBLE XS Deckeneinbauleuchte, die durch ihre hochwertige Verarbeitungs- und Lichtqualität besticht. Ideal für eine harmonische, moderne und platzsparende Beleuchtung, die den Akzent auf Objekte oder den Raum lenkt. Die einfache Installation ist dann nur noch Formsache. Wann entscheiden Sie sich NUMINOS ® von SLV?

Technical Data

Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	55
Power (W)	7
Cut-out size (mm)	Ø 68
Length (mm)	80
Width (mm)	80

Technical Data - continued

Height (mm)	57
Diameter (mm)	80
LxWxH mm	80x80x57
ØxH mm	80x57
Cut-out size mm	Ø 68

DESCRIPTION	Order No.
NUMINOS® GIMBLE XS 670lm 200mA 55° 927 white Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005829