

Data Sheet for Article: LI1005834-

NUMINOS® GIMBLE XS 670lm 200mA 40° 930 black

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

Das NUMINOS Leuchtsystem von SLV vereint Technik, Design und Funktionalität wie kein anderes. So können Sie mit verschiedenen Down- und Spotlights Tausend lichtgestalterische Möglichkeiten erleben. Wie mit dem NUMINOS® GIMBLE XS Deckeneinbauleuchte, die durch ihre hochwertige Verarbeitungs- und Lichtqualität besticht. Ideal für eine unauffällige, moderne und platzsparende Beleuchtung, die den Fokus auf Objekte oder den Raum lenkt. Die Montage erledigen Sie dann im Handumdrehen. Wann entscheiden Sie sich NUMINOS von SLV – die modulare Vielfalt erwartet Sie.

Technical Data

Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	40
Power (W)	7
Cut-out size (mm)	Ø 68
Length (mm)	80
Width (mm)	80

Technical Data - continued

Height (mm)	57
Diameter (mm)	80
LxWxH mm	80x80x57
ØxH mm	80x57
Cut-out size mm	Ø 68

DESCRIPTION	Order No.
NUMINOS® GIMBLE XS 670lm 200mA 40° 930 black Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005834