

Data Sheet for Article: LI1005860-

NUMINOS® GIMBLE XS 750lm 200mA 20° 940 white/chrome

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

NUMINOS ist das bestmöglich aufeinander abgestimmte Leuchtsystem von SLV, das Funktion, Design und Technik vereint. Mit unterschiedlichen Down- und Spotlights sorgen Sie für Tausend lichtgestalterische Möglichkeiten. Wie mit dem NUMINOS® GIMBLE XS Deckeneinbauleuchte, die durch ihre hochwertige Verarbeitungs- und Lichtqualität besticht. Ideal für eine dezente, moderne und platzsparende Beleuchtung, die den Fokus auf Objekte oder den Raum lenkt. Die Montage erledigen Sie dann im Handumdrehen. Wann entscheiden Sie sich für die modulare Vielfalt von SLV?

Technical Data

Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	20
Power (W)	7
Cut-out size (mm)	Ø 68
Length (mm)	80
Width (mm)	80

Technical Data - continued

Height (mm)	57
Diameter (mm)	80
LxWxH mm	80x80x57
ØxH mm	80x57
Cut-out size mm	Ø 68

DESCRIPTION	Order No.
NUMINOS® GIMBLE XS 750lm 200mA 20° 940 white/chrome Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005860