

Data Sheet for Article: LI1005875-

NUMINOS® GIMBLE S 690lm 250mA 55° 927 black/chrome

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

Design, Technik und Funktion in Perfektion: NUMINOS ist das Leuchtsystem von SLV, das alles vereint. Mit vielfältigen Down- und Spotlights erleben Sie Tausend lichtgestalterische Möglichkeiten. Dazu gehört auch NUMINOS® GIMBLE S, die als Deckeneinbauleuchte durch beste Verarbeitungs- und Lichtqualität besticht. Ideal für eine dezente, moderne und platzsparende Beleuchtung, die den Fokus auf Objekte oder den Raum lenkt. Die Installation gestaltet sich dann im Handumdrehen. Wann entscheiden Sie sich NUMINOS von SLV – die modulare Vielfalt erwartet Sie.

Technical Data

Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	55
Power (W)	8,60
Cut-out size (mm)	Ø 90
Length (mm)	100
Width (mm)	100

Technical Data - continued

Height (mm)	70
Diameter (mm)	100
LxWxH mm	100x100x70
ØxH mm	100x70
Cut-out size mm	Ø 90

DESCRIPTION	Order No.
NUMINOS® GIMBLE S 690lm 250mA 55° 927 black/chrome Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005875