

Data Sheet for Article: LI1005885-

NUMINOS® GIMBLE S 690lm 250mA 20° 930 black

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

Das NUMINOS Leuchtsystem von SLV vereint Technik, Design und Funktionalität wie kein anderes. Mit vielfältigen Down- und Spotlights sorgen Sie für Tausend lichtgestalterische Möglichkeiten. Wie mit dem NUMINOS® GIMBLE S Deckeneinbauleuchte, die durch ihre hochwertige Verarbeitungs- und Lichtqualität besticht. Ideal für eine harmonische, moderne und platzsparende Beleuchtung, die den Akzent auf Objekte oder den Raum lenkt. Die Montage erledigen Sie dann im Handumdrehen. Wann entscheiden Sie sich NUMINOS ® von SLV?

Technical Data

Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	20
Power (W)	8,60
Cut-out size (mm)	Ø 90
Lenght (mm)	100
Width (mm)	100

Technical Data - continued

Height (mm)	70
Diameter (mm)	100
LxWxH mm	100x100x70
ØxH mm	100x70
Cut-out size mm	Ø 90

DESCRIPTION	Order No.
NUMINOS® GIMBLE S 690lm 250mA 20° 930 black Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005885