

Data Sheet for Article: LI1005886-

NUMINOS® GIMBLE S 730lm 250mA 20° 930 black/white

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

Das NUMINOS Leuchtensystem von SLV vereint Funktion, Design und Technik auf perfekte Art und Weise. So können Sie mit unterschiedlichen Down- und Spotlights Tausend lichtgestalterische Möglichkeiten erleben. Wie mit dem NUMINOS® GIMBLE S Deckeneinbauleuchte, die durch ihre hochwertige Verarbeitungs- und Lichtqualität besticht. Ideal für eine unauffällige, moderne und platzsparende Beleuchtung, die den Fokus auf Objekte oder den Raum lenkt. Die Montage erledigen Sie dann im Handumdrehen. Wann entscheiden Sie sich NUMINOS von SLV – die modulare Vielfalt erwartet Sie.

Technical Data

Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	20
Power (W)	8,60
Cut-out size (mm)	Ø 90
Length (mm)	100
Width (mm)	100

Technical Data - continued

Height (mm)	70
Diameter (mm)	100
LxWxH mm	100x100x70
ØxH mm	100x70
Cut-out size mm	Ø 90

DESCRIPTION	Order No.
NUMINOS® GIMBLE S 730lm 250mA 20° 930 black/white Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005886