

Data Sheet for Article: LI1005895-

NUMINOS® GIMBLE S 730lm 250mA 20° 930 white

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

Das NUMINOS Leuchtensystem von SLV vereint Funktion, Design und Technik auf gekonnte Art und Weise. So können Sie mit vielfältigen Down- und Spotlights Tausend lichtgestalterische Möglichkeiten erleben. Auch mit der NUMINOS® GIMBLE S Deckeneinbauleuchte, die mit bester Verarbeitungs- und Lichtqualität überzeugt. Ideal für eine harmonische, moderne und platzsparende Beleuchtung, die den Akzent auf Objekte oder den Raum lenkt. Die einfache Installation ist dann nur noch Formsache. Wann entscheiden Sie sich NUMINOS von SLV – die modulare Vielfalt erwartet Sie.

Technical Data

Luminous flux (lm)	730
Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	20
Power (W)	8,60
Cut-out size (mm)	Ø 90
Length (mm)	100

Technical Data - continued

Width (mm)	100
Height (mm)	70
Diameter (mm)	100
LxWxH mm	100x100x70
ØxH mm	100x70
Cut-out size mm	Ø 90

DESCRIPTION	Order No.
NUMINOS® GIMBLE S 730lm 250mA 20° 930 white Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005895