

Data Sheet for Article: LI1005914-

# NUMINOS® GIMBLE S 750lm 250mA 20° 940 white/chrome

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



## Product Details

NUMINOS ist das optimal aufeinander abgestimmte Leuchtsystem von SLV, das Funktion, Design und Technik vereint. Mit verschiedenen Down- und Spotlights sorgen Sie für Tausend lichtgestalterische Möglichkeiten. Auch mit der NUMINOS® GIMBLE S Deckeneinbauleuchte, die mit bester Verarbeitungs- und Lichtqualität überzeugt. Ideal für eine unauffällige, moderne und platzsparende Beleuchtung, die den Fokus auf Objekte oder den Raum lenkt. Die Installation gestaltet sich dann im Handumdrehen. Wann entscheiden Sie sich für die modulare Vielfalt von SLV?

## Technical Data

|                   |                            |
|-------------------|----------------------------|
| Dimmable          | Depending on driver<br>yes |
| Illuminant incl.  | yes                        |
| Lamp holder       | LED Platine                |
| Beam angle (°)    | 20                         |
| Power (W)         | 8,60                       |
| Cut-out size (mm) | Ø 90                       |
| Length (mm)       | 100                        |
| Width (mm)        | 100                        |

## Technical Data - continued

|                 |            |
|-----------------|------------|
| Height (mm)     | 70         |
| Diameter (mm)   | 100        |
| LxWxH mm        | 100x100x70 |
| ØxH mm          | 100x70     |
| Cut-out size mm | Ø 90       |

| DESCRIPTION                                                                                                                                                    | Order No. |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| NUMINOS® GIMBLE S 750lm 250mA 20° 940 white/chrome<br>Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately! | LI1005914 |