

Data Sheet for Article: LI1005925-

NUMINOS® GIMBLE M 1600lm 500mA 40° 927 black/white

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

NUMINOS ist das perfekt aufeinander abgestimmte Leuchtsystem von SLV, das Funktion, Design und Technik vereint. Mit vielfältigen Down- und Spotlights sorgen Sie für Tausend lichtgestalterische Möglichkeiten. Wie mit dem NUMINOS® GIMBLE M Deckeneinbauleuchte, die durch ihre hochwertige Verarbeitungs- und Lichtqualität besticht. So gestalten Sie eine dezente, moderne und platzsparende Beleuchtung, die den Fokus auf Objekte oder den Raum lenkt. Die Montage erledigen Sie dann im Handumdrehen. Wann entscheiden Sie sich NUMINOS von SLV – die modulare Vielfalt erwartet Sie.

Technical Data

Luminous flux (lm)	1600
Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	40
Power (W)	17,50
Cut-out size (mm)	Ø 120
Length (mm)	135

Technical Data - continued

Width (mm)	135
Height (mm)	95
Diameter (mm)	135
LxWxH mm	135x135x95
ØxH mm	135x95
Cut-out size mm	Ø 120

DESCRIPTION	Order No.
NUMINOS® GIMBLE M 1600lm 500mA 40° 927 black/white Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005925