

Data Sheet for Article: LI1005927-

NUMINOS® GIMBLE M 1460lm 500mA 55° 927 black

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

Das NUMINOS Leuchtensystem von SLV vereint Funktion, Design und Technik auf gekonnte Art und Weise. So können Sie mit unterschiedlichen Down- und Spotlights Tausend lichtgestalterische Möglichkeiten erleben. Auch mit der NUMINOS® GIMBLE M Deckeneinbauleuchte, die mit bester Verarbeitungs- und Lichtqualität überzeugt. Ideal für eine dezente, moderne und platzsparende Beleuchtung, die den Akzent auf Objekte oder den Raum lenkt. Die einfache Installation ist dann nur noch Formsache. Wann entscheiden Sie sich NUMINOS von SLV – die modulare Vielfalt erwartet Sie.

Technical Data

Luminous flux (lm)	1460
Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	55
Power (W)	17,50
Cut-out size (mm)	Ø 120
Length (mm)	135

Technical Data - continued

Width (mm)	135
Height (mm)	95
Diameter (mm)	135
LxWxH mm	135x135x95
ØxH mm	135x95
Cut-out size mm	Ø 120

DESCRIPTION	Order No.
NUMINOS® GIMBLE M 1460lm 500mA 55° 927 black Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005927