

Data Sheet for Article: LI1005944-

NUMINOS® GIMBLE M 1550lm 500mA 40° 930 black/ chrome

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

Design, Technik und Funktion in Perfektion: NUMINOS ist das Leuchtsystem von SLV, das alles vereint. Mit unterschiedlichen Down- und Spotlights erleben Sie Tausend lichtgestalterische Möglichkeiten. Wie mit dem NUMINOS® GIMBLE M Deckeneinbauleuchte, die durch ihre hochwertige Verarbeitungs- und Lichtqualität besticht. Ideal für eine unauffällige, moderne und platzsparende Beleuchtung, die den Fokus auf Objekte oder den Raum lenkt. Die Installation gestaltet sich dann im Handumdrehen. Wann entscheiden Sie sich NUMINOS von SLV – die modulare Vielfalt erwartet Sie.

Technical Data

Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	40
Power (W)	17,50
Cut-out size (mm)	Ø 120
Length (mm)	135
Width (mm)	135

Technical Data - continued

Height (mm)	95
Diameter (mm)	135
LxWxH mm	135x135x95
ØxH mm	135x95
Cut-out size mm	Ø 120

DESCRIPTION	Order No.
NUMINOS® GIMBLE M 1550lm 500mA 40° 930 black/chrome Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005944