

Data Sheet for Article: LI1005953-

# NUMINOS® GIMBLE M 1550lm 500mA 40° 930 white/chrome

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



## Product Details

Das NUMINOS Leuchtsystem von SLV vereint Funktion, Design und Technik auf perfekte Art und Weise. Mit vielfältigen Down- und Spotlights erleben Sie Tausend lichtgestalterische Möglichkeiten. Auch mit der NUMINOS® GIMBLE M Deckeneinbauleuchte, die mit bester Verarbeitungs- und Lichtqualität überzeugt. Ideal für eine dezente, moderne und platzsparende Beleuchtung, die den Fokus auf Objekte oder den Raum lenkt. Die Installation gestaltet sich dann im Handumdrehen. Wann entscheiden Sie sich NUMINOS von SLV – die modulare Vielfalt erwartet Sie.

## Technical Data

|                   |                            |
|-------------------|----------------------------|
| Dimmable          | Depending on driver<br>yes |
| Illuminant incl.  | yes                        |
| Lamp holder       | LED Platine                |
| Beam angle (°)    | 40                         |
| Power (W)         | 17,50                      |
| Cut-out size (mm) | Ø 120                      |
| Length (mm)       | 135                        |
| Width (mm)        | 135                        |

## Technical Data - continued

|                 |            |
|-----------------|------------|
| Height (mm)     | 95         |
| Diameter (mm)   | 135        |
| LxWxH mm        | 135x135x95 |
| ØxH mm          | 135x95     |
| Cut-out size mm | Ø 120      |

| DESCRIPTION                                                                                                                                                     | Order No. |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| NUMINOS® GIMBLE M 1550lm 500mA 40° 930 white/chrome<br>Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately! | LI1005953 |