

Data Sheet for Article: LI1005958-

NUMINOS® GIMBLE M 1750lm 500mA 20° 940 black/white

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

NUMINOS ist das bestmöglich aufeinander abgestimmte Leuchtsystem von SLV, das Funktion, Design und Technik vereint. So können Sie mit vielfältigen Down- und Spotlights Tausend lichtgestalterische Möglichkeiten erleben. Wie mit dem NUMINOS® GIMBLE M Deckeneinbauleuchte, die durch ihre hochwertige Verarbeitungs- und Lichtqualität besticht. Ideal für eine dezente, moderne und platzsparende Beleuchtung, die den Akzent auf Objekte oder den Raum lenkt. Die Montage erledigen Sie dann im Handumdrehen. Wann entscheiden Sie sich NUMINOS® von SLV?

Technical Data

Luminous flux (lm)	1750
Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	20
Power (W)	17,50
Cut-out size (mm)	Ø 120
Length (mm)	135

Technical Data - continued

Width (mm)	135
Height (mm)	95
Diameter (mm)	135
LxWxH mm	135x135x95
ØxH mm	135x95
Cut-out size mm	Ø 120

DESCRIPTION	Order No.
NUMINOS® GIMBLE M 1750lm 500mA 20° 940 black/white Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005958