

Data Sheet for Article: LI1005960-

NUMINOS® GIMBLE M 1600lm 500mA 40° 940 black

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

Das NUMINOS Leuchtsystem von SLV vereint Technik, Design und Funktionalität wie kein anderes. Mit unterschiedlichen Down- und Spotlights erleben Sie Tausend lichtgestalterische Möglichkeiten. Wie mit dem NUMINOS® GIMBLE M Deckeneinbauleuchte, die durch ihre hochwertige Verarbeitungs- und Lichtqualität besticht. Ideal für eine dezente, moderne und platzsparende Beleuchtung, die den Fokus auf Objekte oder den Raum lenkt. Die Installation gestaltet sich dann im Handumdrehen. Wann entscheiden Sie sich NUMINOS von SLV – die modulare Vielfalt erwartet Sie.

Technical Data

Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	40
Power (W)	17,50
Cut-out size (mm)	Ø 120
Length (mm)	135
Width (mm)	135

Technical Data - continued

Height (mm)	95
Diameter (mm)	135
LxWxH mm	135x135x95
ØxH mm	135x95
Cut-out size mm	Ø 120

DESCRIPTION	Order No.
NUMINOS® GIMBLE M 1600lm 500mA 40° 940 black Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1005960