

Data Sheet for Article: LI1006041-

NUMINOS® GIMBLE XL 3300lm

1000/1050mA 40° 927 white/black

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

NUMINOS ist das optimal aufeinander abgestimmte Leuchtsystem von SLV, das Funktion, Design und Technik vereint. Mit unterschiedlichen Down- und Spotlights sorgen Sie für Tausend lichtgestalterische Möglichkeiten. Wie mit dem NUMINOS® GIMBLE XL Deckeneinbauleuchte, die durch ihre hochwertige Verarbeitungs- und Lichtqualität besticht. Ideal für eine harmonische, moderne und platzsparende Beleuchtung, die den Akzent auf Objekte oder den Raum lenkt. Die Installation gestaltet sich dann im Handumdrehen. Wann entscheiden Sie sich NUMINOS® von SLV?

Technical Data

Luminous flux (lm)	3300
Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	40
Power (W)	37,40
Cut-out size (mm)	Ø 175
Length (mm)	190

Technical Data - continued

Width (mm)	190
Height (mm)	135
Diameter (mm)	190
LxWxH mm	190x190x135
ØxH mm	190x135
Cut-out size mm	Ø 175

DESCRIPTION	Order No.
NUMINOS® GIMBLE XL 3300lm 1000/1050mA 40° 927 white/black Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1006041