

Data Sheet for Article: LI1006042-

NUMINOS® GIMBLE XL 3500lm 1000/1050mA 40° 927 white

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

Das NUMINOS Leuchtsystem von SLV vereint Funktion, Design und Technik auf gekonnte Art und Weise. Mit verschiedenen Down- und Spotlights sorgen Sie für Tausend lichtgestalterische Möglichkeiten. Dazu gehört auch NUMINOS® GIMBLE XL, die als Deckeneinbauleuchte durch beste Verarbeitungs- und Lichtqualität besticht. Ideal für eine harmonische, moderne und platzsparende Beleuchtung, die den Akzent auf Objekte oder den Raum lenkt. Die Installation gestaltet sich dann im Handumdrehen. Wann entscheiden Sie sich NUMINOS von SLV – die modulare Vielfalt erwartet Sie.

Technical Data

Luminous flux (lm)	3500
Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	40
Cut-out size (mm)	Ø 175
Length (mm)	190
Width (mm)	190

Technical Data - continued

Height (mm)	135
Diameter (mm)	190
LxWxH mm	190x190x135
ØxH mm	190x135
Cut-out size mm	Ø 175

DESCRIPTION	Order No.
NUMINOS® GIMBLE XL 3500lm 1000/1050mA 40° 927 white Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1006042