

Data Sheet for Article: LI1006059-

NUMINOS® GIMBLE XL 3300lm 1000/1050mA 40° 930 white/black

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

NUMINOS ist das optimal aufeinander abgestimmte Leuchtsystem von SLV, das Funktion, Design und Technik vereint. So können Sie mit unterschiedlichen Down- und Spotlights Tausend lichtgestalterische Möglichkeiten erleben. Wie mit dem NUMINOS® GIMBLE XL Deckeneinbauleuchte, die durch ihre hochwertige Verarbeitungs- und Lichtqualität besticht. Ideal für eine dezente, moderne und platzsparende Beleuchtung, die den Fokus auf Objekte oder den Raum lenkt. Die einfache Installation ist dann nur noch Formsache. Wann entscheiden Sie sich NUMINOS von SLV – die modulare Vielfalt erwartet Sie.

Technical Data

Luminous flux (lm)	3300
Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	40
Power (W)	37,40
Cut-out size (mm)	Ø 175
Length (mm)	190

Technical Data - continued

Width (mm)	190
Height (mm)	135
Diameter (mm)	190
LxWxH mm	190x190x135
ØxH mm	190x135
Cut-out size mm	Ø 175

DESCRIPTION	Order No.
NUMINOS® GIMBLE XL 3300lm 1000/1050mA 40° 930 white/black Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1006059